




HIGH-MADE



DCS-15F200

**Semi Auto Brick Shape Vacuum
Packing Machine
Introduction Manual**

Application scope



Coarse Grains



Nuts, Seeds



Pet feeds, Cat litter







Chemical Granulars

Packaging application scope: It is suitable for vacuum packaging of granular materials in fields such as grain, cat litter, and pet feeds, etc.

Performance Characteristics

1. Realize the function of automatic weighing and filling, automatic vacuum shaping, automatic sealing and outputting finished products;
2. High-precision vibration control mode, fast sampling speed, good control performance;
3. Convenient and hassle-free operation, only one key switch to change products;
4. Vacuum packaging, long storage period, insurance and anti-corrosion, exquisite appearance;
5. The use of full touch screen and internationally renowned electrical components, electronic control box IP44 level, equipment security is more secure.

Equipment sample drawing



Equipment parameters

NO.	Name	Technical parameters
1	Packaging scope	5kg-12.5kgSix-sided pouches (custom laminated film pouches)
2	Packaging speed	About 150-300 packs/hour
3	Power supply	AC380 three-phase, five-wire system, 3KW
4	Gas consumption	0.6MPa,0.3m ³ /MIN
5	Working Temperature	0-40°C, relative humidity: <90%
6	Dimension(mm)	960×1850×2600mm

Finished product rendering



Color diagram of the equipment (subject to the actual product)



Configuration list

No.	Name	Brand
1	PLC	Siemens
2	Touch Screen	MCGS
3	Low-voltage Electrical Equipment	Kita
4	Vacuum Pump	Zhongde
5	Relay	IDEC
6	Pneumatic Cylinder	AirTAC
7	Solenoid Valve	AirTAC
8	Weighing Instrument	Gemini
9	Load Cell	Keli